

# SAFETY DATA SHEET

Creation Date 10-APR-2016 Revision Date 24-March-2021 Revision Number 3

1. Identification

Product Name: 3A Molecular Sieve – Beads, Pellets, or Powder

Supplier Name: Transo-Pharm USA, LLC

Address: 716 Dekalb Pike, #329

Blue Bell, PA 19422

Telephone Number: (610) 278–9751 Fax Number: (610) 278–9761

Emergency Telephone Number: (610) 278–9751

#### 2. Hazard Identification

2.1GHS classification in accordance with 29 CFR 1910 (OSHA HCS)

Respiratory sensitization (Category 1), H334
Skin sensitization (Category 1), H317
Reproductive toxicity (Category 1B), H360
Acute aquatic toxicity (Category 2), H401
Carcinogenicity (Category 2), H351
Chronic aquatic toxicity (Category 3), H412

2.2 GHS label elements, including precautionary statements

# Pictogram:



Signal Word: Danger

# Hazard statement(s)

H317	May cause allergic skin reaction		
H334	May cause allergy or asthma symptoms or breathing		
	difficulties if inhaled		
H351	Suspected of causing cancer		
H360	May damage fertility or the unborn child		
H401	Toxic to aquatic life		
H420	Harmful to aquatic life with long lasting effects		

# **Precautionary Statements**

P201	Obtain special instructions before use		
P202	Do not handle until all safety precautions have been read and		
	understood.		
P261	Avoid breathing dust		
P271	Use only outdoors or in a well-ventilated area		
P272	Contaminated work clothing should not be allowed out of the		
	workplace.		
P273	Avoid release to the environment		
P280 Wear protective gloves/protective clothing/eye			
	protection/face protection.		
P285	In case of inadequate ventilation wear respiratory protection		
P302+P352	IF ON SKIN: Wash with plenty of water and soap		
P304+P341	IF INHALED: If breathing is difficult, remove person to fresh		
	air and keep at rest in position comfortable for breathing.		
P308+P313	IF EXPOSED OR CONCERNED: Get medical advice.		

P333+P313	If skin irritation or rash occurs: Get medical advice
P363	Wash contaminated clothing before reuse
P501	Dispose of contents/container to an approved waste disposal
	plant in accordance with local regulation(s)

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS None

3. Composition/Information - Ingredients							
Product Name	3A Molecular Sieve						
Chemical Formula	K12[(AIO2)12(SiO2)12] X H2O						
CAS #	142844-00-6						
Composition	Silicon Dioxide (7631-86-9) <65%						
	Potassium Oxide (12136-45-7) <20%						
	Aluminum Oxide (1344-28-1) < 30%						
	Sodium Oxide (1313-59-3) <30%						
Ingredient	CAS Registry Number	Typical %	OSHA				
Zeolites	1318-02-1	>90% By Wt.	Υ				
Kaolin	1332-58-7	0-10% By Wt.	Υ				
Bentonite Clay	1302-78-9	0-10% By Wt.	Υ				
Clay, attapulgite	12174-11-7	0-10% By Wt.	Υ				
Sepiolite	63800-37-3	0-10% By Wt.	Y				
Cristobalite	14464-46-1	<0.2% By Wt.	Υ				
Tridymite	15468-32-3	<0.1% By Wt.	Υ				

This substance(s) marked with "Y" is the OSHA column, are identified as hazardous chemicals according to the criteria of the OSHA Hazard Communication Standard (29 CFR 1910.1200).

This material is classified as hazardous under Federal OSHA regulation.

This product complies with TSCA inventory requirements. For chemical identity purposes, TSCA considers Zeolites as crystalline aluminosilicates consisting of a mixture of silicon oxide (CAS # 7931-86-9) and aluminum oxide (CAS# 1344-28-1) in various proportions with metallic oxides.

#### 4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Move the person to fresh air immediately. For breathing difficulties oxygen may be required. If breathing stops, provide artificial respiration. Get medical attention if discomfort continues

Ingestion: Rinse mouth thoroughly, drink plenty of water. Get medical attention if symptoms appear

Skin Contact: Wash skin thoroughly with soap and water for several minutes. Get medical attention if irritation persists after washing

Eye Contact: Immediately flush with water for up to 15 minutes. Remove any contact lenses and open eyes wide. Continue for 15 minutes. Get medical attention if discomfort continues

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labeling (see section 2.2) and/or section 11.

#### 5. Fire Fighting Measures

- 5.1 Suitable Extinguishing Media The product is nonflammable. Use fire extinguishing media appropriate for surrounding
- 5.2 Special hazards arising from the substance or mixture

Fire Hazards None known

Explosion Hazard Not Applicable

5.3 Advice for Firefighters Not Applicable

Protective Measures: Self-contained breathing apparatus and full protective clothing should be worn in case of fire

#### 6. Accidental Release Measures

- 6.1 Personal Precautions: Wear protective gloves and proper respiratory equipment. Avoid inhalation of dust
- 6.2 Environmental Precautions: Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment to be avoided
- 6.3 Containment & Clean Up: Use Vacuum, shovel, or broom. Avoid formation of dust. Dampen spillage area with water if necessary. Comply with local disposal regulations after clean up.

#### 7. Handling and Storage

7.1 Usage Precautions: Avoid spilling, making skin or eye contact, or

dust inhalation. Do not eat, drink, or smoke

when using product

7.2 Storage Precautions: Store in a tightly closed original container cool dry and well-

ventilated place.

## 8. Exposure Controls/Personal Protection

8.1 Exposure Controls / Personal Protection

Silicon Dioxide 7631-86-9 OSHA PEL - (Vacated) TWA 6 mg/m3

8.2 Appropriate Engineering Controls Use process enclosures, local exhaust ventilation, or other

engineering controls to keep airborne levels below

recommended exposure limits. If user operations generate dust, fume, or mist use ventilation to keep exposure to

airborne contaminants below the exposure limit.

Handle in accordance with good industrial

hygiene and safety practices. Wash hands when handling.

8.3 Protective Equipment Provide general and local exhaust ventilation

Respiratory Equipment Proper respiratory equipment should be available to

employees handling the product

Hand Protection Gloves should be available to employees handling the product

Eye Protection Safety glasses are recommended but not required

Hygiene Measures Wash hands at the end of the work shift and prior to eating,

drinking, or smoke breaks

Process Conditions Provide eyewash station

## 9. Physical and Chemical Properties

## 9.1 Physical and Chemical Properties

Boiling Point: N/A
Vapor Pressure (mm Hg): N/A
Vapor Density (AIR=1): N/A

Water Solubility: Insoluble

Appearance: Light tan beads or powder

Specific Gravity:

Melting Point:

Evaporation Rate (Butyl Acetate = 1):

N/A

Bulk Density (kg/m3):

N/A

Odor: Odorless

# 10. Stability and Reactivity

10.1 Reactivity No data available

10.2 Stability Product is stable under normal temperature conditions and

recommended use

10.3 Hazardous Reaction No data available

10.4 Conditions to Avoid This product is incompatible with powerful, Alkali

metals, strong oxidizing agents.

#### 11. Toxicological Information

10.5 Incompatible Materials Water contact with product, steam, or water mixtures

10.6 Hazardous Decomposition Products No data available

11.1 Information on toxicological effect

**Acute Toxicity** 

Inhalation Dust may irritate respiratory system or lungs. May have

long term dust effects.

Ingestion May cause discomfort if swallowed

Skin Contact May cause skin irritation

Eye Contact May irritate the eyes

Oral LD50 Based on ATE Data, classification criteria

are not met, ATE > 2,000 mg/kg

Dermal LD50 Based on ATE Data, classification criteria

are not met, ATE > 2,000 mg/kg

Mist LC50 Based on ATE Data, classification criteria

are not met, ATE > 5 mg / l

Irritation No data available
Development affects No data available

Sensitization May cause sensitization by inhalation

and skin contact

Carcinogenicity Notation below indicates whether each

agency

Has listed the ingredient as a carcinogen.

Silicon Dioxide (7631–86–9) IARC (Not Listed), NTP (Not Listed), ACGIH (Not Listed),

OSHA (Not Listed), Mexico (Not Listed)

Potassium Oxide (12136-45-7) IARC (Not Listed), NTP (Not Listed), ACGIH (Not Listed),

OSHA (Not Listed), Mexico (Not Listed)

Aluminum Oxide (1344–28–1) IARC (Not Listed), NTP (Not Listed), ACGIH (Not Listed),

OSHA (Not Listed), Mexico (Not Listed)

Sodium Oxide (1313–59–3) IARC (Not Listed), NTP (Not Listed), ACGIH (Not Listed),

OSHA (Not Listed), Mexico (Not Listed)

Reproductive Toxicity

Developmental affects

STOT – single exposure

STOT – repeated exposure

Aspiration Hazard

No data available

No data available

No data available

#### 12. Ecological Information

12.1 Toxicity
12.2 Persistence & Degradability
12.3 Bioaccumulative potential
12.4 Mobility in soil
No data available
No data available

12.5 Results of PBT and vPvB LC50, 96 Hours Fish mg/l > 10,000

EC50, 48 hours, DAPHNIA mg/l > 10,000

12.6 Other Adverse Affects Can be harmful to aquatic life – long term affects

## 13. Disposal Considerations

13.1 Waste Treatment Methods The material and its container must be disposed of in

compliance with local regulations.

## 14. Transport Information

DOT (USA) This product is not covered by international regulation on

transport of dangerous goods (IMDG, IATA, ADR, RID)

IMDG This product is not covered by international regulation on

transport of dangerous goods (IMDG, IATA, ADR, RID)

Transport Hazard Class This product is not covered by international regulation on

transport of dangerous goods (IMDG, IATA, ADR, RID)

## 15. Regulation Information

#### 15.1 Federal and state regulations:

SARA 302 Components No Chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302

SARA 311/312 Hazards Chronic health hazard

Massachusetts Right to Know Components Silica-Amorphous, precipitated

CAS-No.: 112926-00-8

Revision date: 1993-04-24

Pennsylvania Right to Know Components Silica-Amorphous, precipitated

CAS-No.: 112926-00-8

Revision date: 1993-04-24

New Jersey Right to Know Components Silica-Amorphous, precipitated

> CAS-No.: 112926-00-8 Revision date: 1993-04-24

California Proposition 65 Components This product does not contain any chemicals known

to the State of California to cause cancer, birth

defects, or any other reproductive harm.

Toxic Control Substances Act (TSCA) Listed on the TSCA Inventory

**DOT Classification** Not a DOT controlled material (United States)

#### 15.2 Other Classifications

HMIS (U.S.A.)

Health hazard 1 Fire hazard 0 Reactivity 0 Personal protection Ε

National Fire Protection Association (U.S.A)

Health 1 - SLIGHT Hazard Flammability 0 - Normal Material Reactivity 1 - SLIGHT Hazard

**GHS USA** 

Classification System

Health Rating: 5 - Minimal Hazard
Flammability Rating: 5 - Minimal Hazard
Reactivity Rating: 5 - Minimal Hazard
Contact Rating: 4 - SLIGHT Hazard

Storage Color Code: Green - Minimal Hazard

Toxic Control Substances Act (TSCA)

This product complies with all applicable rules or orders under the Toxic Control Substances Act (TSCA).

#### 16. Other Information

16.1 Preparation Date: June 1, 2015

Revision Number: 3

16.2 Warranty: This information contained herein is based upon data

considered true and accurate. However, Transo-Pharm USA, LLC makes no warranties, express or implied, as

to the accuracy or adequacy of the information

contained herein or the results to be obtained from the use thereof. This information is offered solely for the

user's consideration, investigation and verification.

Since the use and conditions of this information and the material described herein are not within the control of

Transo-Pharm USA, LLC., it assumes no responsibility for injury to the user or third persons. The material

described herein is sold only pursuant to Transo-

Pharm's Terms and Conditions of Sale, including those limiting warranties and remedies contained therein. It is

the responsibility of the user to determine whether any use of this data and information is in accordance with

applicable federal, state, or locallaws and regulations.